

MOLLART LD2-500 Drillsprint

Kategorie Bohrmaschinen

Typ Tieflochbohren

Marke MOLLART

Modell LD2-500 Drillsprint



Gamba Macchine Srl

V.A.T. IT00639540988

C.F./R.I. 01581570171

REA 248813 BS

C.S. 802.165,00 €

Kontakt

+39 030 831096

+39 030 8913312

offerte@gambamacchine.it

Lageplan

Sitz und Lager 1


Via Artigiani, 32 - 25063

Gardone V.T. Brescia - Italia

Lager 2

Via Caduti del lavoro 41, 25030

Coccaglio Brescia - Italia



Gamba Macchine Srl

V.A.T. IT00639540988

C.F./R.I. 01581570171

REA 248813 BS

C.S. 802.165,00 €

Kontakt

+39 030 831096

+39 030 8913312

offerte@gambamacchine.it

Lageplan

Sitz und Lager 1


Via Artigiani, 32 - 25063

Gardone V.T. Brescia - Italia

Lager 2

Via Caduti del lavoro 41, 25030

Coccaglio Brescia - Italia



Gamba Macchine Srl

Kontakt

Lageplan

V.A.T. IT00639540988

+39 030 831096

Sitz und Lager 1

Lager 2

C.F./R.I. 01581570171

+39 030 8913312

Via Artigiani, 32 - 25063

Via Caduti del lavoro 41, 25030

REA 248813 BS

offerte@gambamacchine.it

Gardone V.T. Brescia - Italia

Coccaglio Brescia - Italia

C.S. 802.165,00 €



6 DRILLSPRINT DEEP HOLE DRILLING MACHINE

2. MACHINE SPECIFICATION

| | Standard | C6 option |
|---|--|------------------|
| MAX. Drilling Dia. Single Spindle | 20mm (0.75) | 25mm |
| MAX. Drilling Dia. Twin Spindle (per Spindle) | 12mm (0.500) | 19mm |
| MIN. Drilling Dia. (Per Spindle) | 2mm (0.70) | |
| MAX. Drilling Depth LD 500 | 500mm (20") | |
| LD 1000 | 1000mm (40") | |
| MAX. Overall Length Gundrill that may be loaded into machine (without spindle Extensions) | 900mm (36") | |
| Lost Drill length through Chipbox And Bushing | 250mm (10") | |
| Control system and drives | GE FANUC | |
| Operating system | Rotating Tool, Rotating Workpiece | |
| Spindle speed range - High | 50 - 10600 RPM | |
| - Low | 50 - 6000 RPM | |
| Counter Rotation speed | 100 RPM | |
| Feed Rate | 0 - 3000mm / min | 0 - 120ins / min |
| Rapid Traverse | 10 meters / min | 390ins / min |
| Spindle nose type (Collet type) | 25mm Bore | 1" |
| Coolant Delivery | 46 Liters / min | 12.7 US gal/min |
| MAX. Coolant pressure | 100 bar | 1200 PSI |
| Coolant Filtration Level | 20 Micron | |
| Coolant Tank | 1200 Liters | 200 US Gal |
| Machine Weight (DRY) | 3000kg | 3 Tons |
| MIN. Rated supply current | 32 amp (Earth but no neutral required) | |
| Supply Voltage | 400v - 3p - 50hz | 460v - 3p - 60hz |
| Control Voltage | 24v DC | |

IMPORTANT : THE MACHINE IS FULLY METRIC, INCH DIMENSIONS ARE ONLY APPROXIMATE.

Gamba Macchine Srl

Kontakt

Lageplan

V.A.T. IT00639540988

+39 030 831096

Sitz und Lager 1

Lager 2

C.F./R.I. 01581570171

+39 030 8913312

Via Artigiani, 32 - 25063

Via Caduti del lavoro 41, 25030

REA 248813 BS

offerte@gambamacchine.it

Gardone V.T. Brescia - Italia

Coccaglio Brescia - Italia

C.S. 802.165,00 €



Gamba Macchine Srl

V.A.T. IT00639540988

C.F./R.I. 01581570171

REA 248813 BS

C.S. 802.165,00 €

Kontakt

+39 030 831096

+39 030 8913312

offerte@gambamacchine.it

Lageplan

Sitz und Lager 1

Via Artigiani, 32 - 25063

Gardone V.T. Brescia - Italia

Lager 2

Via Caduti del lavoro 41, 25030

Coccaglio Brescia - Italia



Gamba Macchine Srl

V.A.T. IT00639540988

C.F./R.I. 01581570171

REA 248813 BS

C.S. 802.165,00 €

Kontakt

+39 030 831096

+39 030 8913312

offerte@gambamacchine.it

Lageplan

Sitz und Lager 1

Via Artigiani, 32 - 25063

Gardone V.T. Brescia - Italia

Lager 2

Via Caduti del lavoro 41, 25030

Coccaglio Brescia - Italia